# Contents of Volume 38

*Vol. 38, Nos. 1, 2, September (I, II) 1998*

***Special issue:***
Protein Trafficking in Plant Cells

***Guest editor:***
J. Soll

**Foreword** vii

**The endoplasmic reticulum of plant cells and its role in protein maturation and biogenesis of oil bodies**
G. Galili, C. Sengupta-Gopalan, A. Ceriotti 1–29

**N-Glycoprotein biosynthesis in plants: recent developments and future trends**
P. Lerouge, M. Cabanes- Macheteau, C. Rayon, A.-C. Fischette-Lainé, V. Gomord, L. Faye 31–48

**The molecular characterization of transport vesicles**
D.G. Robinson, G. Hinz, S.E.H. Holstein 49–76

**Deposition of storage proteins**
K. Müntz 77–99

**Compartment-specific accumulation of recombinant immunogloblins in plant cells: an essential tool for antibody production and immunomodulation of physiological functions and pathogen activity**
U. Conrad, U. Fiedler 101–109

**Exocytosis in plants**
G. Thiel, N. Battey 111–125

**Sorting of proteins to vacuoles in plant cells**
J.-M. Neuhaus, J.C. Rogers 127–144

**The nuclear pore complex**
A. Heese-Peck, N.V. Raikhel 145–162

**The surprising complexity of peroxisome biogenesis**
L.J. Olsen 163–189

**Protein translocation into and across the chloroplastic envelope membranes**
J. Soll, R. Tien 191–207

**Multiple pathways for the targeting of thylakoid proteins in chloroplasts**
C. Robinson, P.J. Hynds, D. Robinson, A. Mant 209–221

**The role of lipids in plastid protein transport**
B.D. Bruce 223–246

**Protein import into cyanelles and complex chloroplasts**
S.D. Schwartzbach, T. Osafune, W. Löffelhardt 247–263

**Two birds with one stone: genes that encode products targeted to two or more compartments**
I. Small, H. Wintz, K. Akashi, H. Mireau 265–277

**Intercellular protein trafficking through plasmodesmata**
B. Ding 279–310

**Mitochondrial protein import in plants**
E. Glazer, S. Sjöling, M. Tanuaji, J. Whelan 311–338

**Subject Index** 339–341

*Vol. 38, No. 3, October 1998*

**The sugarcane bacilliform badnavirus promoter is active in both monocots and dicots**
I. Tzafrir, K.A. Torbert, B.E.L. Lockhart, D.A. Somers, N.E. Olszewski 347–356

**Ribonucleoprotein particles of quiescent maize embryonic axes**
A. Rincón-Guzmán, E. Beltrán-Peña, A. Ortíz-López, E; Sánchez de Jiménez 357–364

**Amino-terminal and hydrophobic regions of the *Chlamydomonas reinhardtii* plastocyanin transit peptide are required for efficient protein accumulation *in vivo***
K.L. Kindle 365–377

**Expression of enzymatically active, recombinant barley $\alpha$ in yeast and immunological detection of $\alpha$-glucosidase from seed tissue**
B.K. Tibbot, C.A. Henson, R.W. Skadsen 379–391

**Cre/*lox*-mediated site-specific integration of *Agroabacterium* T-DNA in *Arabidopsis thaliana* by transient expression of *cre***
A.C. Vergunst, P.J.J. Hooykaas 393–406

**Use of alternate splice sites in granule-bound starch synthase mRNA from low-amylose rice varieties**
H.F.J. Bligh, P.D. Larkin, P.S. Roach, C.A. Jones, H. Fu, W.D. Park 407–415

**A ca. 40 kDa maize (*Zea mays* L.) embryo dehydrin is encoded by the *dhn2* locus on chromosome 9**
S.A. Campbell, D.E. Crone, T.L. Ceccardi, T.J. Close 417–423

**Expression analysis of a sucrose carrier in the germinating seedling of *Ricinus communis***
J.-A. Bick, A. Neelam, E. Smith, S.J. Nelson, J.L. Hall, L.E. Williams 425–435

**Molecular cloning of an *Arabidopsis* cDNA encoding a dynamin-like protein is localized to plastids**
S.G. Kang, J.B. Jin, H.L. Piao, K.T. Pih, H.J. Jang, J.H. Lim, I. Hwang 437–447

**Apple ACC-oxidase and polygalacturonase: ripening-specific gene expression and promoter analysis in transgenic tomato**
R.G. Atkinson, K.M. Bolitho, M.A. Wright, T. Iturriagagoitia-Bueno, S.J. Reid, G.S. Ross 449–460

**Retrotransposon-like sequencies integrated into the genome of pineapple, *Ananas comosus***
K.G. Thomson, J.E. Thomas, R.G. Dietzgen 461–465

**Expression of antisense chalcone synthase RNA in transgenic hybrid walnut micro-cuttings. Efect on flavonoid content and rooting ability**
C. El Euch, C. Jay-Allemand, M. Pastuglia, P. Doumas, J.P. Charpentier, P. Capelli, L. Jouanin **467–479**

**Tissue- and stage-specific expression of a soybean (*Gllycine max* L.) seed-maturation, biotinylated protein**
Y.C. Hsing, C. Tsou, T. Hsu, Z. Chen, K. Hsieh, J. Hsieh, T. Chow **481–490**

*Short communications*

**Processing of a chimeric protein in chloroplasts is different in transgenic maize and tobacco plants**
F. Van Breusegem, S. Kushnir, L. Slooten, G. Bauw, J. Botterman, M. Van Montagu, D. Inzé **491–496**

**Maize mitochondrial seryl-tRNA synthetase recognizes *Escherichia coli* tRNA$^{Ser}$ *in vivo* and *in vitro***
J. Roskov, D. Söll, I. Weygand-Durašević **497–502**

*Sequence announcements* **503–509**

*Erratum* **511**

*Vol. 38, No. 4, November (I) 1998*

**Substracte profiles and expression of caffeoyl coenzyme A and caffeic acid *O*-methyltransferases in secondary xylem of aspen during seasonal development**
H. Meng, W.H. Campbell **513–520**

**Insertional inactivation of the tomato polygalacturonase gene**
M.B. Cooley, J.I. Yoder **521–530**

**Cloning and characterizationi of cold-regulated glycine-rich RNA-binding protein genes from leafy spurge (*Euphorbia esula* L.) and comparison to heterologous genomic clones**
D.P. Horvath, P.A. Olson **531–538**

**Overexpressin of ΔEmBP, a truncated dominant negative version of the wheat G-box binding protein EmBP-1, alters vegetative development in transgenic tobacco**
N.A. Eckhardt, L McHenry, M.J. Guiltinan **539–549**

**Identification of promoter elements in a low-temperature-responsive gene (*blt*4.9) from barley (*Hordeum vulgar* L.)**
M.A. Dunn, A.J. White, S. Vural, M.A. Hughes **551–564**

***Arabidopsis thaliana* vegetative storage protein (VSP) genes: gene organization and tissue-specific expression**
S. Utsugi, W. Sakamoto, M. Murata, F. Motoyoshi **565–576**

**Characterization of the rice pathogen-related protein Rir1a and regulation of the corresponding gene**
F. Mauch, C. Reimmann, E. Freydl, U. Schaffrath, R. Dudler **577–586**

**Water-deficit-responsive proteins in maritime pine**
P. Costa, N. Bahrman, J.-M. Frigerio, A. Kremer, C. Plomion **587–596**

**Irregular patterns of transgene silencing in allohexaploid oat**
W.P. Pawlowski, K.A. Torbert, H.W. Rines, D.A. Somers **597–607**

**The *Arabidopsis Athb-8, -9* and *-14* genes are members of a small gene family coding for highly related HD-ZIP proteins**
G. Sessa, C. Steindler, G. Morelli, I. Ruberti **609–622**

**Induction of mRNA accumulation corresponding to a gene encoding a cell wall hydroxypyroline-rich glycoprotein by fungal elicitors**
N; García-Muniz, J.A. Martiínez-Izquierdo, P. Puigdomènech **623–632**

**Identification of preferred binding sites of a light-inducible DNA-binding factor (MNF1) within 5′-upstream sequence of C4-type phosphoenolpyruvate carboxylase gene in maize**
A. Morishima **633–646**

**Wheat DNA polymerase CI: a homologue of rat DNA polymerase $\beta$**
A.E. Luque, J.P. Benedetto, M. Castroviejo **647–654**

*Short communications*

**Identification of tomato *Lhc* promoter regions necessary for circadian expression**
B. Piechulla, N. Merforth, B. Rudolph **655–662**

**A monocot pollen-specific promoter contains separable pollen-specific and quantitative elements**
D.A. Hamilton; Y.H. Schwarz, J.P. Mascarenhas **663–669**

**Cloning and characterization of two maize cDNAs encoding Cinnamoyl-CoA Reductase (CCR) and differential expression of the corresponding genes**
M. Pichon, I. Courbou, M. Beckert, A.M. Boudet, J. Grima-Pettenati **671–676**

*Sequence announcements* **677–679**

*Vol. 38, No. 5, November (II) 1998*

**Isolation and characterization of a new transposable element in *Chlamydomonas reinhardtii***
S.-C. Wang, R.A. Schnell, P.A. Lefebvre **681–687**

**Nucleotide sequences and functional characterization of two tobacco UAG suppressor tRNA$^{Gln}$ isoacceptors and their genes**
M. Grimm, A. Nass, C. Schüll, H. Beier **689–697**

**Prediction of functional regions of the maize streak virus replication-associated proteins by protein-protein interaction analysis**
G.V. Horváth, A. Pettkó-Szandtner, K. Nikovics, M. Bilgin, M. Boulton, J.W. Davies, C. Gutiérrez, D. Dudits **699–712**

**Interaction of DNA-binding proteins with the 5′-flanking region of a cytokinin-responsive cucumber hydroxypyruvate reductase gene**
G. Jin, M.C. Davey, J.R. Ertl, R. Chen, Z.-t. Yu, S.G. Daniel, W.M. Becker, C.-m. Chen **713–723**

**The presence of CYP79 homologues in glucosinolate-producing plants shows evolutionary conservation of the enzymes in the conversion of amino acid to aldoxime in the biosynthesis of cyanogenic glucosides and glucosinolates**
S. Bak, H.L. Nielsen, B.A. Halkier **725–734**

**Cortical tissue-specific accumulation of the root-specific ns-*LTP* transcripts in the bean (*Phaseolus vulgaris*) seedlings**
J.Y. Song, D.-W. Choi, J.S. Lee, Y.M. Kwon, S.-G. Kim **735–742**

**A 42 bp fragment of the *pmas*1′ promoter containing on *ocs*-like element confers a developmental, wound- and chemically inducible expression pattern**
A. Guevara-García, L. López-Ochoa, J. López-Bucio, J. Simpson, L. Herrera-Estrella **743–753**

**Isolation and characterization of two different cDNAs of $\Delta^1$-pyrroline-5-carboxylate synthase in alfalfa, transcriptionally induced upon salt stress**
I. Ginzberg, H. Stein, Y. Kapulnik, L. Szabados, N. Strizhov, J. Schell, C. Koncz, A. Zilberstein **755–764**

**Expression of two consecutive genes of a secondary metabolic pathway in transgenic tobacco: molecular diversity influences levels of expression and product accumulation**
M.J. Leech, K. May, D. Hallard, R. Verpoorte, V. De Luca, P. Christou **765–774**

**A novel protein associated with citrus blight has sequence similarities to expansin**
T.L. Ceccardi, G.A. Barthe, K.S. Derrick **775–783**

**Ethylene-responsive element binding protein (EREBP) expression and the transcriptional regulation of class I $\beta$-1,3-glucanase during tobacco seed germination**
G. Leubner-Metzger, L. Petruzzelli, R. Waldvogel, R. Vögeli-Lange, F. Meins Jr. **785–795**

**Molecular characterization of tobacco ribonucleotide reductase RNR1 and RNR2 cDNAs and cell cycle-regulated expression in synchronized plant cells**
M.-E. Chabouté, B. Combettes, B. Clément, C. Gigot, G. Philipps **797–806**

**Isolation and characterization of an *Arabidopsis thaliana* C-8,7 sterol isomerase: functional and structural similarities to mammalian C-8,7 sterol isomerase/emopamil-binding protein**
R.J. Grebenok, T.E. Ohnmeiss, A. Yamamoto, E.D. Huntley, D.W. Galbraith, D. Della Penna **807–815**

**DNase1 footprints suggest the involvement of at least three types of transcription factors in the regulation of $\alpha$-*Amy2/A* by gibberellin**
R.L. Willmott, P.J. Rushton, R. Hooley, C.M. Lazarus **817–825**

***Arabidopsis* cDNA encoding a membrane-associated protein with an acyl-CoA binding domain**
M.-L. Chye **827–838**

**Isolation and characterization of a mutant protoporphyrinogen oxidase gene from *Chlamydomonas reinhardtii* conferring resistance to porphyric herbicides**
B.L. Randolph-Anderson, R. Sato, A.M. Johnson, E.H. Harris, C.R. Hauser, K. Oeda, F. Ishige, S. Nishio, N.W. Gillham, J.E. Boynton **839–858**

**Fusions between green fluorescent protein and $\beta$-glucuronidase as sensitive and vital bifunctional reporters in plants**
N.E.M. Quaedvlieg, H.R.M. Schlaman, P.C. Admiraal, S.E. Wijting, J. Stougaard, H.P. Spaink **861–874**

*Short communications*

**Isolation of a cDNA for tryptophan synthase $\beta$ from rice and studies of its expression in a 5-methyltryptophan-resistant mutant of rice**
H. Kisaka, M. Kisaka, H.-Y. Lee, T. Kameya **875–878**

**Molecular cloning in *Arabidopsis thaliana* of a new protein phosphatase 2C (PP2C) with homology to ABI1 and ABI2**
P.L. Rodriguez, M.P. Leube, E. Grill 879–883

**Tissue-specific expression of genes encoding isoforms of the mitochondrial ATPase $\beta$ subunit in *Nicotiana sylvestris***
E. Lalanne, C. Mathieu, F. Vedel, R. De Paepe 885–888

**Chimeric calcium/calmodulin-dependent protein kinase in tobacco: differential regulation by calmodulin isoforms**
Z. Liu, M. Xia, B.W. Poovaiah 889–897

**Cloning, sequence and characterization of a sunflower (*Helianthus annuus* L.) pathogen-induced gene showing sequence homology with auxin-induced genes from plants**
F. Mazeyrat, S. Mouzeyar, P. Nicolas, D. Tourvieille de Labrouhe, G. Ledoigt 899–903

*Sequence announcements* 905–912

*Errata* 913–917

*Vol. 38, No. 6, December 1998*

**Editorial** v

*Review*

**Protein phosphatase 2C (PP2C) function in higher plants**
P.L. Rodriguez 919–927

***Arabidopsis thaliana* contains a large family of germin-like proteins: characterization of cDNA and genomic sequences encoding 12 unique family members**
C. Carter, R.A. Graham, R.W. Thornburg 929–943

**Molecular cloning and characterization of the *Amylose-Extender* gene encoding starch branching enzyme IIB in maize**
K.-N. Kim, D.K. Fisher, M. Gao, M.J. Guiltinan 945–956

**Reduced toxicity and broad spectrum resistance to viral and fungal infection in transgenic plants expressing pokeweed antiviral protein II**
P. Wang, O. Zoubenko, N.E. Tumer 957–964

**The *ECS1* gene of *Arabidopsis* encodes a plant cell wall-associated protein and is potentially linked to a locus influencing to *Xanthomonas campestris***
W. Aufsatz, D. Amry, C. Grimm 965–976

**Differential regulation of genes encoding 1-aminocyclopropane-1-carboxylate (ACC) synthase in etiolated pea seedlings: effects of indole-3-acetic acid, wounding, and ethylene**
S.C. Peck, H. Kende 977–982

**Isolation and characterization of a rice homebox gene, *OSH15***
Y. Sato, N. Sentoku, Y. Nagato, M. Matsuoka 983–998

**Alfalfa (*Medicago sativa* L.) resistance to the root-lesion nematode, *Pratylenchus penetrans*: defense-response gene mRNA and isoflavonoid phytoalexin levels in roots**
G.D. Baldridge, N.R. O'Neill, D.A. Samac 999–1010

**Metabolic engineering of rice leading to biosynthesis of glycinebetaine and tolerance to salt and cold**
A. Sakamoto, A. Murata, N. Murata **1011–1019**

**Identification of class B and class C floral organ identity genes from rice plants**
H.-G. Kang, J.-S. Jeon, S. Lee, G. An **1021–1029**

**Macromolecular organization and genetic mapping of a rapidly evolving chromosome-specific tandem repeat family (B77) in cotton (*Gossypium*)**
X. Zhao, Y. Ji, X. Ding, D.M. Stelly, A.H. Paterson **1031–1042**

**Physical mapping of unique nucleotide sequences on identified rice chromosomes**
N. Ohmido, Y. Akiyama, K. Fukui **1043–1052**

**Gibberellin and abscisic acid regulate *GAST1* expression at the level of transcription**
L. Shi, N.E. Olszewski **1053–1060**

**Wild and cultivated barleys show differences in the expression pattern of a cold-regulated gene family under different light and temperature conditions**
M. Grossi, E. Giorni, F. Rizza, A.M. Stanca, L. Cattivelli **1061–1069**

**The promoter of the plant defensin gene *PDF1.2* from *Arabidopsis* is systematically activated by fungal pathogens and responds to methyl jasmonate but not to salicylic acid**
J.M. Manners, I.A.M.A. Penninckx, K. Vermaere, K. Kazan, R.L. Brown, A. Morgan, D.J. Maclean, M.D. Curtis, B.P.A. Cammue, W.F. Broekaert **1071–1080**

**Visualization of the *Brassica* self-incompatibility *S*-locus on identified oilseed rape chromosomes**
Y. Kamisugi, S. Nakayama, C.M. O'Neil, R.J. Mathias, M. Trick, K. Fukui **1081–1087**

**Dessication- and abscisic acid-responsive genes encoding major intrinsic proteins (MIPs) from the resurrection plant *Craterostigma plantagineum***
J.-B. Mariaux, C. Bockel, F. Salamini, D. Bartels **1089–1099**

**Differential induction by methyl jasmonate of genes encoding ornithine decarboxylase and other enzymes involved in nicotine biosynthesis in tobacco cell cultures**
S. Imanishi, K. Hashizume, M. Nakakita, H. Kojima, Y. Matsubayashi, T. Hashimoto, Y. Sakagami, Y. Yamada, K. Nakamura **1101–1111**

**Longevity of 5-azacytidine-mediated gene expression and re-establishment of silencing in transgenic rice**
S.P. Kumpatla, T.C. Hall **1113–1122**

**Alfin1, a novel zinc-finger protein in alfalfa roots that binds to promoter elements in the salt-inducible *MsPRP2* gene**
D.R. Bastola, V.V. Pethe, I. Winicov **1123–1135**

**Characterization of tomato *PHYB1* and identification of molecular defects in four mutant alleles**
G.I. Lazarova, T. Kubota, S. Frances, J.L. Peters, M.J.G. Hughes, J. Brandstädter, M. Széll, M. Matsui, R.E. Kendrick, M.-M. Cordonnier-Pratt, L.H. Pratt **1137–1146**

***CaMADS1*, a MADS box gene expressed in the carpel of hazelnut**
D. Rigola, M.E. Pè, C. Fabrizio, G. Mè, M. Sari-Gorla **1147–1160**

**Jasmonic acid stimulates the expression of *nod* genes in *Rhizobium***
S. Rosas, R. Soria, N. Correa, G. Abdala **1161–1168**

**Expression of an anther-specific chalcone synthase-like gene is correlated with uninucleate microspore development in *Nicotiana sylvestris***
I. Atanassov, E. Russinova, L. Antonov, A. Atanassov **1169–1178**

**Characterization of a germin-like protein gene expressed in somatic and zygotic embryos of pine (*Pinus caribaea* Morelet)**
G. Neutelings, J.M. Domon, N. Membré, F. Bernier, Y. Meyer, A. David, H. David **1179–1190**

**Substitution of Ala-251 of the D1 reaction centre polypeptide with a charged residue results in impaired function of photosystem II**
P. Mäenpää, K. Sippola, A. Rokka, E.-M. Aro **1191–1200**

**Anthranilate N-hydroxycinnamoyl/benzoyltransferase gene from carnation: rapid elication of transcription and promoter analysis**
Q. Yang, B. Grimmig, U. Matern **1201–1214**

**Identification of phosphoenolpyruvate carboxylase isoforms in leaf, stem and roots of the obligate CAM plant *Vanilla planifolia* Salib. (Orchidaceae): a physiological and molecular approach**
H. Gehrig, K. Faist, M. Kluge **1215–1223**

**Cloning of genes by mRNA differential display induced during the hypersensitive reaction of soybean after inoculation with *Pseudomonas syringae* pv. *glycinea***
K. Seehaus, R. Tenhaken **1225–1234**

**A chestnut seed cystatin differentially effective against cysteine proteinases from closely related pests**
M. Pernas, R. Sánchez-Monge, L. Gómez, G. Salcedo **1235–1242**

*Short communications*

**Sequential and structural homology between intracellular pathogenesis-related proteins and a group of latex proteins**
P. Osmark, B. Boyle, N. Brisson **1243–1246**

**TATA sequence requirements for the initiation of transcription for an RNA polymerase II *in vitro* transcription system from *Nicotiana tabacum***
Y. Yamaguchi, Y. Itoh, Y. Takeda, K. Yamazaki **1247–1252**

**A MADS box transcription factor of the AP1/AGL9 subfamily is also expressed in the seed coat of pea (*Pisum sativum*) during development**
P. Buchner, J.-P. Boutin **1253–1255**

**Intergenic sequences of clustered tRNA genes: new type of genetic marker for phylogenetic studies, with application to the taxonomy of liverworts**
P. Fiedorow, Z. Szweykowska-Kulińska **1257–1261**

*Sequence announcements* **1263–1267**

*Erratum* **1269**

*Apology letter* **1271**

*Instructions to authors* **1273–1276**

*Volume contents* **1277–1284**

*Author index* **1285–1286**